ORTHOPAEDIC ONCOLOGY · PATIENT GUIDE

Follow-up After Sarcoma Treatment: What Are the Visits and Scans For?

What each part of follow-up is for, and the questions to bring to your next review.

Dr. Vishnu Baburaj

Published 2 November 2026 · Updated 2 November 2026 · Clinically reviewed 2 November 2026

https://drvishnubaburaj.com/blog/oncology/sarcoma-follow-up-visits-scans/



Follow-up after sarcoma treatment checks for signs of recurrence and helps with recovery from treatment. The visits also give you a place to discuss symptoms, practical difficulties and worries about what comes next.[2]

Finishing treatment does not always make the next appointment feel easier. It helps to separate three questions: what the test is checking, when you will hear the result and what to do if something changes before then.

Why follow-up plans differ

For adults treated for soft tissue sarcoma, imaging recommendations take account of tumour grade, subtype and location. Some subtypes need a different approach because of where they may recur. The ESSR guidance is expert consensus informed by research, rather than proof that one schedule is optimal for everyone.[1]

Bone sarcoma follow-up also assesses the original tumour site, limb function and possible complications of reconstruction. Local radiographs may help assess both recurrence and the reconstruction. Treatment-related late effects need attention too. These considerations require a bone sarcoma plan rather than simply copying an adult soft tissue imaging schedule.[5]

A different schedule from someone else's does not tell you whether your care is more or less thorough. The useful comparison is with the plan for your own diagnosis and treatment. The team should explain which features led to the chosen tests and intervals.

What the examination and scans are looking for

At a soft tissue sarcoma review, the clinician asks about symptoms, treatment effects and how you are coping. Examination may include looking for a new lump, swelling or lymphoedema, and assessing the operated area.[2]

> ### Imaging the treated area
>
> For adult soft tissue sarcoma, MRI is generally the preferred local surveillance test. For selected limb tumours, ultrasound can be an alternative, including when metal artefact limits MRI. These studies assess the original treatment region.[1]

Imaging the chest

Chest imaging checks for spread to the lungs. Depending on the plan, it may involve a chest X-ray or CT. It answers a different question from imaging of the operated limb.[2]

ESSR guidance generally favours chest CT for metastatic surveillance in adult soft tissue sarcoma. It also recommends comparing follow-up images with earlier studies, including baseline images after treatment. The team should arrange access to the earlier images, not only the written reports; copies you already hold can help.[1]

Does more scanning always mean better follow-up?

The number of scans alone does not establish the quality of follow-up. An Indian trial examined less intensive chest imaging after limb sarcoma surgery, but its findings do not make chest X-rays and CT interchangeable for every patient.[3]

More about the evidence

The randomised TOSS study at Tata Memorial Hospital compared chest-imaging strategies after limb sarcoma surgery. Its initial report found that the chest X-ray strategy met the prespecified non-inferiority criterion for overall survival against the strategy including CT. This single-centre study

mixed bone and soft tissue sarcomas and used a relatively generous margin for an acceptable survival difference. Patients were told to return if symptoms developed between visits.[3]

Your team should explain why a particular test was chosen and what its result would change. If travel or appointment arrangements are difficult, raise this before altering the plan yourself. The team can help work through how the scans, consultations and results will fit together.

Follow-up includes life after treatment

Some treatment effects become apparent months or years later. Follow-up should address physical and emotional health, including persistent fatigue, sleep difficulties and anxiety. The checks needed depend on the treatments received and the person's health.[4]

A treatment summary and survivorship care plan help keep this information together. The summary should record the diagnosis, operations and other treatments. The care plan sets out follow-up and the problems to watch for. Routine primary care should continue alongside cancer follow-up.[4]

Tell the clinician if worry is disrupting sleep, work or the days between appointments. Emotional concerns belong in follow-up care alongside physical symptoms.[4] You can also be specific about the difficult part: having the scan, waiting for the report or reading it before anyone has explained it.

> **Dr. Vishnu's perspective**
>
> I cannot promise what every future scan will show. What we can do is make the next step less uncertain: agree when the result will be discussed and who will explain it. Tell me which part is hardest, whether it is the scan, waiting for the report or reading unfamiliar words alone. I want that concern to have space in the appointment too.

What to do between appointments

Contact the sarcoma team about a new lump or swelling, new pain or pain that is getting worse. Do not wait for the next scheduled review to report a new or persistent symptom.[2]

A new symptom does not automatically mean the cancer has returned. The team needs to assess whether it relates to treatment, recurrence or another health problem.[4]

A clear next step: your follow-up plan should give the next visit, any tests needed beforehand, how results will reach you and a contact route for concerns between appointments. If no appointment arrives, use that contact route to check the plan.

Frequently Asked Questions

Will everyone have the same scan schedule?

No. For adult soft tissue sarcoma, tumour grade, subtype and location help determine imaging. The consensus guidance allows an individualised strategy. [1]

Why might I need both a limb scan and a chest scan?

They assess different areas: local imaging looks for recurrence where the tumour was treated, while chest imaging checks the lungs. [2]

Should I wait for my next appointment if I notice a new lump?

No. Contact the team about a new lump, swelling or new or increasing pain, rather than waiting for routine follow-up. [2]

Does follow-up only look for cancer coming back?

No. It also addresses physical and emotional effects of treatment, including problems that can appear later. Tell the team about concerns affecting everyday life. [4]

Your consultation

Discuss your sarcoma follow-up plan

To discuss your existing sarcoma follow-up plan and questions about visits, scans or recovery, you can book a consultation with Dr. Vishnu Baburaj at Aster MIMS Kannur.

Book a consultation Plan your visit

Travelling to Kannur

If you are travelling a long distance, confirm the appointment before arranging your journey.

Preparing for your consultation

The evidence behind this article

1. Noebauer-Huhmann IM, Vilanova JC, Papakonstantinou O, et al. *Soft tissue tumor imaging in adults: European Society of Musculoskeletal Radiology–Guidelines 2024: imaging immediately after neoadjuvant therapy in soft tissue sarcoma, soft tissue tumor surveillance, and the role of interventional radiology.* European Radiology. 2025;35:3324–3335. Table 2 and surveillance discussion. Full ESSR consensus.
2. Canadian Cancer Society. *Follow-up after treatment for soft tissue sarcoma.* Medically reviewed April 2026. Follow-up and symptoms between visits.

3. Puri A, Gulia A, Hawaldar R, Ranganathan P, Badwe RA. *Does Intensity of Surveillance Affect Survival After Surgery for Sarcomas? Results of a Randomized Noninferiority Trial.* Clinical Orthopaedics and Related Research. 2014;472:1568–1575. Full initial TOSS report.
4. National Cancer Institute. *Follow-Up Medical Care.* Updated 2 December 2024. Survivorship and care planning.
5. Gerrand C, Amary F, Anwar HA, et al. *UK guidelines for the management of bone sarcomas.* British Journal of Cancer. 2025;132:32–48. Published online 2024. Follow-up and survivorship section. Bone sarcoma follow-up guidance.

Medically reviewed by Dr. Vishnu Baburaj, MS Ortho (PGI Chandigarh), MRCS (UK) · Last reviewed Nov 2, 2026

This article is for educational purposes and does not replace a medical consultation. For personalised advice, book an appointment at Aster MIMS Kannur.